



IMPORTED BEARING OF AMERICA CORP.



17 mm x 30 mm x 7 mm 17 mm x 30 mm x 7 mm KOYO 6903 deep groove ball bearings

Bearing No. 6903

6903 Bearing 2D drawings and 3D CAD models

Size	17x30x7 mm
Bore Diameter	17 mm
Outer Diameter	30 mm
Width	7 mm
d	17 mm
D	30 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	19 mm
Da max.	28 mm
ra max.	0,3 mm
Weight	0,018 Kg
Basic dynamic load rating (C)	4,6 kN
Basic static load rating (C0)	2,55 kN
(Grease) Lubrication Speed	23000 r/min
(Oil) Lubrication Speed	28000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.019
EAN	0605790085949
Product Group	B00308
Enclosure	Open



IMPORTED BEARING OF AMERICA CORP.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	17MM Bore; 30MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6903
Weight / LBS	0.041
Outer Race Width	0.276 Inch 7 Millimeter
Bore	0.669 Inch 17 Millimeter
Outside Diameter	1.181 Inch 30 Millimeter
Bearing No.	6903
r(min)	0.3
Cr	5.75
C0r	2.55
Cu	0.130
f0	14.7
Grease lub.	23000



IMPORTED BEARING OF AMERICA CORP.

Oil lub.	28000
da(min)	19
Da(max)	28
ra(max)	0.3
(Refer.)Mass(kg)	0.018